

NAME

perlintern - autogenerated documentation of purely **internal** Perl functions

DESCRIPTION

This file is the autogenerated documentation of functions in the Perl interpreter that are documented using Perl's internal documentation format but are not marked as part of the Perl API. In other words, **they are not for use in extensions!**

CV reference counts and CvOUTSIDE

CvWEAKOUTSIDE

Each CV has a pointer, `CvOUTSIDE()`, to its lexically enclosing CV (if any). Because pointers to anonymous sub prototypes are stored in `&` pad slots, it is possible to get a circular reference, with the parent pointing to the child and vice-versa. To avoid the ensuing memory leak, we do not increment the reference count of the CV pointed to by `CvOUTSIDE` in the *one specific instance* that the parent has a `&` pad slot pointing back to us. In this case, we set the `CvWEAKOUTSIDE` flag in the child. This allows us to determine under what circumstances we should decrement the refcount of the parent when freeing the child.

There is a further complication with non-closure anonymous subs (i.e. those that do not refer to any lexicals outside that sub). In this case, the anonymous prototype is shared rather than being cloned. This has the consequence that the parent may be freed while there are still active children, eg

```
BEGIN { $a = sub { eval '$x' } }
```

In this case, the `BEGIN` is freed immediately after execution since there are no active references to it: the anon sub prototype has `CvWEAKOUTSIDE` set since it's not a closure, and `$a` points to the same CV, so it doesn't contribute to `BEGIN`'s refcount either. When `$a` is executed, the `eval '$x'` causes the chain of `CvOUTSIDE`s to be followed, and the freed `BEGIN` is accessed.

To avoid this, whenever a CV and its associated pad is freed, any `&` entries in the pad are explicitly removed from the pad, and if the refcount of the pointed-to anon sub is still positive, then that child's `CvOUTSIDE` is set to point to its grandparent. This will only occur in the single specific case of a non-closure anon prototype having one or more active references (such as `$a` above).

One other thing to consider is that a CV may be merely undefined rather than freed, eg `undef &foo`. In this case, its refcount may not have reached zero, but we still delete its pad and its `CvROOT` etc. Since various children may still have their `CvOUTSIDE` pointing at this undefined CV, we keep its own `CvOUTSIDE` for the time being, so that the chain of lexical scopes is unbroken. For example, the following should print 123:

```
my $x = 123;
sub tmp { sub { eval '$x' } }
my $a = tmp();
undef &tmp;
print $a->();
```

```
bool CvWEAKOUTSIDE(CV *cv)
```

Functions in file pad.h

CX_CURPAD_SAVE

Save the current pad in the given context block structure.

```
void CX_CURPAD_SAVE(struct context)
```

CX_CURPAD_SV

Access the SV at offset `po` in the saved current pad in the given context block structure (can be used as an lvalue).

```
SV * CX_CURPAD_SV(struct context, PADOFFSET po)
```

PAD_BASE_SV

Get the value from slot `po` in the base (DEPTH=1) pad of a padlist

```
SV * PAD_BASE_SV(PADLIST padlist, PADOFFSET po)
```

PAD_CLONE_VARS

Clone the state variables associated with running and compiling pads.

```
void PAD_CLONE_VARS(PerlInterpreter *proto_perl, CLONE_PARAMS* param)
```

PAD_COMPNAME_FLAGS

Return the flags for the current compiling pad name at offset `po`. Assumes a valid slot entry.

```
U32 PAD_COMPNAME_FLAGS(PADOFFSET po)
```

PAD_COMPNAME_GEN

The generation number of the name at offset `po` in the current compiling pad (lvalue). Note that `SvUVX` is hijacked for this purpose.

```
STRLEN PAD_COMPNAME_GEN(PADOFFSET po)
```

PAD_COMPNAME_GEN_set

Sets the generation number of the name at offset `po` in the current ling pad (lvalue) to `gen`. Note that `SvUV_set` is hijacked for this purpose.

```
STRLEN PAD_COMPNAME_GEN_set(PADOFFSET po, int gen)
```

PAD_COMPNAME_OURSTASH

Return the stash associated with an `our` variable. Assumes the slot entry is a valid `our` lexical.

```
HV * PAD_COMPNAME_OURSTASH(PADOFFSET po)
```

PAD_COMPNAME_PV

Return the name of the current compiling pad name at offset `po`. Assumes a valid slot entry.

```
char * PAD_COMPNAME_PV(PADOFFSET po)
```

PAD_COMPNAME_TYPE

Return the type (stash) of the current compiling pad name at offset `po`. Must be a valid name. Returns null if not typed.

```
HV * PAD_COMPNAME_TYPE(PADOFFSET po)
```

PAD_DUP

Clone a padlist.

```
void PAD_DUP(PADLIST dstpad, PADLIST srcpad, CLONE_PARAMS*
param)
```

PAD_RESTORE_LOCAL

Restore the old pad saved into the local variable opad by PAD_SAVE_LOCAL()

```
void PAD_RESTORE_LOCAL(PAD *opad)
```

PAD_SAVE_LOCAL

Save the current pad to the local variable opad, then make the current pad equal to npad

```
void PAD_SAVE_LOCAL(PAD *opad, PAD *npad)
```

PAD_SAVE_SETNULLPAD

Save the current pad then set it to null.

```
void PAD_SAVE_SETNULLPAD()
```

PAD_SETSV

Set the slot at offset po in the current pad to sv

```
SV * PAD_SETSV(PADOFFSET po, SV* sv)
```

PAD_SET_CUR

Set the current pad to be pad n in the padlist, saving the previous current pad. NB currently this macro expands to a string too long for some compilers, so it's best to replace it with

```
SAVECOMPPAD();
PAD_SET_CUR_NOSAVE(padlist,n);
```

```
void PAD_SET_CUR(PADLIST padlist, I32 n)
```

PAD_SET_CUR_NOSAVE

like PAD_SET_CUR, but without the save

```
void PAD_SET_CUR_NOSAVE(PADLIST padlist, I32 n)
```

PAD_SV

Get the value at offset po in the current pad

```
void PAD_SV(PADOFFSET po)
```

PAD_SVl

Lightweight and lvalue version of PAD_SV. Get or set the value at offset po in the current pad. Unlike PAD_SV, does not print diagnostics with -DX. For internal use only.

```
SV * PAD_SVl(PADOFFSET po)
```

SAVECLEARSV

Clear the pointed to pad value on scope exit. (i.e. the runtime action of 'my')

```
void SAVECLEARSV(SV **svp)
```

SAVECOMPPAD

save PL_comppad and PL_curpad

```
void SAVECOMPPAD()
```

SAVEPADSV

Save a pad slot (used to restore after an iteration)

XXX DAPM it would make more sense to make the arg a PADOFFSET void

SAVEPADSV(PADOFFSET po)

GV Functions

is_gv_magical

Returns TRUE if given the name of a magical GV.

Currently only useful internally when determining if a GV should be created even in rvalue contexts.

flags is not used at present but available for future extension to allow selecting particular classes of magical variable.

Currently assumes that name is NUL terminated (as well as len being valid). This assumption is met by all callers within the perl core, which all pass pointers returned by SvPV.

```
bool is_gv_magical(const char *name, STRLEN len, U32 flags)
```

is_gv_magical_sv

Returns TRUE if given the name of a magical GV. Calls is_gv_magical.

```
bool is_gv_magical_sv(SV *name, U32 flags)
```

Hash Manipulation Functions

refcounted_he_chain_2hv

Generates and returns a HV * by walking up the tree starting at the passed in struct refcounted_he *.

```
HV * refcounted_he_chain_2hv(const struct refcounted_he *c)
```

refcounted_he_free

Decrements the reference count of the passed in struct refcounted_he * by one. If the reference count reaches zero the structure's memory is freed, and refcounted_he_free iterates onto the parent node.

```
void refcounted_he_free(struct refcounted_he *he)
```

refcounted_he_new

Creates a new struct refcounted_he. As key is copied, and value is stored in a compact form, all references remain the property of the caller. The struct refcounted_he is returned with a reference count of 1.

```
struct refcounted_he * refcounted_he_new(struct refcounted_he  
*const parent, SV *const key, SV *const value)
```

IO Functions

start_glob

Function called by do_readline to spawn a glob (or do the glob inside perl on VMS). This code used to be inline, but now perl uses File::Glob this glob starter is only used by miniperl during the build process. Moving it away shrinks pp_hot.c; shrinking

pp_hot.c helps speed perl up.

```
PerlIO* start_glob(SV *tmpglob, IO *io)
```

Magical Functions

magic_clearhint

Triggered by a delete from %^H, records the key to PL_compiling.cop_hints_hash.

```
int magic_clearhint(SV* sv, MAGIC* mg)
```

magic_sethint

Triggered by a store to %^H, records the key/value pair to PL_compiling.cop_hints_hash. It is assumed that hints aren't storing anything that would need a deep copy. Maybe we should warn if we find a reference.

```
int magic_sethint(SV* sv, MAGIC* mg)
```

mg_localize

Copy some of the magic from an existing SV to new localized version of that SV. Container magic (eg %ENV, \$!, tie) gets copied, value magic doesn't (eg taint, pos).

```
void mg_localize(SV* sv, SV* nsv)
```

MRO Functions

mro_get_linear_isa_dfs

Returns the Depth-First Search linearization of @ISA the given stash. The return value is a read-only AV*. level should be 0 (it is used internally in this function's recursion).

You are responsible for SvREFCNT_inc() on the return value if you plan to store it anywhere semi-permanently (otherwise it might be deleted out from under you the next time the cache is invalidated).

```
AV* mro_get_linear_isa_dfs(HV* stash, U32 level)
```

mro_isa_changed_in

Takes the necessary steps (cache invalidations, mostly) when the @ISA of the given package has changed. Invoked by the setisa magic, should not need to invoke directly.

```
void mro_isa_changed_in(HV* stash)
```

Pad Data Structures

CvPADLIST

CV's can have CvPADLIST(cv) set to point to an AV.

For these purposes "forms" are a kind-of CV, eval""s are too (except they're not callable at will and are always thrown away after the eval"" is done executing). Require'd files are simply evals without any outer lexical scope.

XSUBs don't have CvPADLIST set - dXSTARG fetches values from PL_curpad, but that is really the callers pad (a slot of which is allocated by every entersub).

The CvPADLIST AV has does not have AvREAL set, so REFCNT of component items is managed "manual" (mostly in pad.c) rather than normal av.c rules. The items in the AV are not SVs as for a normal AV, but other AVs:

0'th Entry of the CvPADLIST is an AV which represents the "names" or rather the

"static type information" for lexicals.

The CvDEPTH'th entry of CvPADLIST AV is an AV which is the stack frame at that depth of recursion into the CV. The 0'th slot of a frame AV is an AV which is @_. other entries are storage for variables and op targets.

During compilation: PL_comppad_name is set to the names AV. PL_comppad is set to the frame AV for the frame CvDEPTH == 1. PL_curpad is set to the body of the frame AV (i.e. AvARRAY(PL_comppad)).

During execution, PL_comppad and PL_curpad refer to the live frame of the currently executing sub.

Iterating over the names AV iterates over all possible pad items. Pad slots that are SVs_PADTMP (targets/GVs/constants) end up having &PL_sv_undef "names" (see pad_alloc()).

Only my/our variable (SVs_PADMY/SVs_PADOUR) slots get valid names. The rest are op targets/GVs/constants which are statically allocated or resolved at compile time. These don't have names by which they can be looked up from Perl code at run time through eval"" like my/our variables can be. Since they can't be looked up by "name" but only by their index allocated at compile time (which is usually in PL_op->op_targ), wasting a name SV for them doesn't make sense.

The SVs in the names AV have their PV being the name of the variable. xlow+1..xhigh inclusive in the NV union is a range of cop_seq numbers for which the name is valid. For typed lexicals name SV is SVt_PVMG and SvSTASH points at the type. For our lexicals, the type is also SVt_PVMG, with the SvOURSTASH slot pointing at the stash of the associated global (so that duplicate our declarations in the same package can be detected). SvUVX is sometimes hijacked to store the generation number during compilation.

If SvFAKE is set on the name SV, then that slot in the frame AV is a REFCNT'ed reference to a lexical from "outside". In this case, the name SV does not use xlow and xhigh to store a cop_seq range, since it is in scope throughout. Instead xhigh stores some flags containing info about the real lexical (is it declared in an anon, and is it capable of being instantiated multiple times?), and for fake ANONs, xlow contains the index within the parent's pad where the lexical's value is stored, to make cloning quicker.

If the 'name' is '&' the corresponding entry in frame AV is a CV representing a possible closure. (SvFAKE and name of '&' is not a meaningful combination currently but could become so if my sub foo {} is implemented.)

Note that formats are treated as anon subs, and are cloned each time write is called (if necessary).

The flag SVf_PADSTALE is cleared on lexicals each time the my() is executed, and set on scope exit. This allows the 'Variable \$x is not available' warning to be generated in evals, such as

```
{ my $x = 1; sub f { eval '$x' } } f();
```

For state vars, SVf_PADSTALE is overloaded to mean 'not yet initialised'

```
AV * CvPADLIST(CV *cv)
```

cv_clone

Clone a CV: make a new CV which points to the same code etc, but which has a newly-created pad built by copying the prototype pad and capturing any outer lexicals.

```
CV* cv_clone(CV* proto)
```

cv_dump

dump the contents of a CV

```
void cv_dump(const CV *cv, const char *title)
```

do_dump_pad

Dump the contents of a padlist

```
void do_dump_pad(I32 level, PerlIO *file, PADLIST *padlist, int full)
```

intro_my

"Introduce" my variables to visible status.

```
U32 intro_my()
```

pad_add_anon

Add an anon code entry to the current compiling pad

```
PADOFFSET pad_add_anon(SV* sv, OPCODE op_type)
```

pad_add_name

Create a new name and associated PADMY SV in the current pad; return the offset. If `typestash` is valid, the name is for a typed lexical; set the name's stash to that value. If `ourstash` is valid, it's an our lexical, set the name's `SvOURSTASH` to that value

If fake, it means we're cloning an existing entry

```
PADOFFSET pad_add_name(const char *name, HV* typestash, HV* ourstash, bool clone, bool state)
```

pad_alloc

Allocate a new my or tmp pad entry. For a my, simply push a null SV onto the end of `PL_comppad`, but for a tmp, scan the pad from `PL_padix` upwards for a slot which has no name and no active value.

```
PADOFFSET pad_alloc(I32 optype, U32 tmptype)
```

pad_block_start

Update the pad compilation state variables on entry to a new block

```
void pad_block_start(int full)
```

pad_check_dup

Check for duplicate declarations: report any of: * a my in the current scope with the same name; * an our (anywhere in the pad) with the same name and the same stash as `ourstash` is_our indicates that the name to check is an 'our' declaration

```
void pad_check_dup(const char* name, bool is_our, const HV* ourstash)
```

pad_findlex

Find a named lexical anywhere in a chain of nested pads. Add fake entries in the inner pads if it's found in an outer one.

Returns the offset in the bottom pad of the lex or the fake lex. `cv` is the CV in which to start the search, and `seq` is the current `cop_seq` to match against. If `warn` is true, print appropriate warnings. The `out_*` vars return values, and so are pointers to where the

returned values should be stored. `out_capture`, if non-null, requests that the innermost instance of the lexical is captured; `out_name_sv` is set to the innermost matched `namesv` or fake `namesv`; `out_flags` returns the flags normally associated with the IVX field of a fake `namesv`.

Note that `pad_findlex()` is recursive; it recurses up the chain of CVs, then comes back down, adding fake entries as it goes. It has to be this way because fake `namesvs` in anon prototypes have to store in `xlow` the index into the parent pad.

```
PADOFFSET pad_findlex(const char *name, const CV* cv, U32 seq,
int warn, SV** out_capture, SV** out_name_sv, int *out_flags)
```

`pad_findmy`

Given a lexical name, try to find its offset, first in the current pad, or failing that, in the pads of any lexically enclosing subs (including the complications introduced by `eval`). If the name is found in an outer pad, then a fake entry is added to the current pad. Returns the offset in the current pad, or `NOT_IN_PAD` on failure.

```
PADOFFSET pad_findmy(const char* name)
```

`pad_fixup_inner_anons`

For any anon CVs in the pad, change `CvOUTSIDE` of that CV from `old_cv` to `new_cv` if necessary. Needed when a newly-compiled CV has to be moved to a pre-existing CV struct.

```
void pad_fixup_inner_anons(PADLIST *padlist, CV *old_cv, CV
*new_cv)
```

`pad_free`

Free the SV at offset `po` in the current pad.

```
void pad_free(PADOFFSET po)
```

`pad_leavemy`

Cleanup at end of scope during compilation: set the max seq number for lexicals in this scope and warn of any lexicals that never got introduced.

```
void pad_leavemy()
```

`pad_new`

Create a new compiling padlist, saving and updating the various global vars at the same time as creating the pad itself. The following flags can be OR'ed together:

```
padnew_CLONE this pad is for a cloned CV
padnew_SAVE save old globals
padnew_SAVESUB also save extra stuff for start of sub
```

```
PADLIST* pad_new(int flags)
```

`pad_push`

Push a new pad frame onto the padlist, unless there's already a pad at this depth, in which case don't bother creating a new one. Then give the new pad an `@_` in slot zero.

```
void pad_push(PADLIST *padlist, int depth)
```

`pad_reset`

Mark all the current temporaries for reuse

```
void pad_reset()
```

pad_setsv

Set the entry at offset `po` in the current pad to `sv`. Use the macro `PAD_SETSV()` rather than calling this function directly.

```
void pad_setsv(PADOFFSET po, SV* sv)
```

pad_swipe

Abandon the tmp in the current pad at offset `po` and replace with a new one.

```
void pad_swipe(PADOFFSET po, bool refadjust)
```

pad_tidy

Tidy up a pad after we've finished compiling it: * remove most stuff from the pads of anonsub prototypes; * give it a `@_;` * mark tmps as such.

```
void pad_tidy(padtidy_type type)
```

pad_undef

Free the padlist associated with a CV. If parts of it happen to be current, we null the relevant `PL_*pad*` global vars so that we don't have any dangling references left. We also repoint the `CvOUTSIDE` of any about-to-be-orphaned inner subs to the outer of this cv.

(This function should really be called `pad_free`, but the name was already taken)

```
void pad_undef(CV* cv)
```

Per-Interpreter Variables

PL_DBsingle

When Perl is run in debugging mode, with the `-d` switch, this SV is a boolean which indicates whether subs are being single-stepped. Single-stepping is automatically turned on after every step. This is the C variable which corresponds to Perl's `$DB::single` variable. See `PL_DBsub`.

```
SV * PL_DBsingle
```

PL_DBsub

When Perl is run in debugging mode, with the `-d` switch, this GV contains the SV which holds the name of the sub being debugged. This is the C variable which corresponds to Perl's `$DB::sub` variable. See `PL_DBsingle`.

```
GV * PL_DBsub
```

PL_DBtrace

Trace variable used when Perl is run in debugging mode, with the `-d` switch. This is the C variable which corresponds to Perl's `$DB::trace` variable. See `PL_DBsingle`.

```
SV * PL_DBtrace
```

PL_dowarn

The C variable which corresponds to Perl's `$^W` warning variable.

```
bool PL_dowarn
```

PL_last_in_gv

The GV which was last used for a filehandle input operation. (<FH>)

```
GV* PL_last_in_gv
```

PL_ofs_sv

The output field separator - \$, in Perl space.

```
SV* PL_ofs_sv
```

PL_rs

The input record separator - \$ / in Perl space.

```
SV* PL_rs
```

Stack Manipulation Macros

djSP

Declare Just SP. This is actually identical to dSP, and declares a local copy of perl's stack pointer, available via the SP macro. See SP. (Available for backward source code compatibility with the old (Perl 5.005) thread model.)

```
djSP;
```

LVRET

True if this op will be the return value of an lvalue subroutine

SV Manipulation Functions

sv_add_arena

Given a chunk of memory, link it to the head of the list of arenas, and split it into a list of free SVs.

```
void sv_add_arena(char* ptr, U32 size, U32 flags)
```

sv_clean_all

Decrement the refcnt of each remaining SV, possibly triggering a cleanup. This function may have to be called multiple times to free SVs which are in complex self-referential hierarchies.

```
I32 sv_clean_all()
```

sv_clean_objs

Attempt to destroy all objects not yet freed

```
void sv_clean_objs()
```

sv_free_arenas

Deallocate the memory used by all arenas. Note that all the individual SV heads and bodies within the arenas must already have been freed.

```
void sv_free_arenas()
```

SV-Body Allocation

sv_2num

Return an SV with the numeric value of the source SV, doing any necessary reference or overload conversion. You must use the SvNUM(SV) macro to access this function.

```
SV* sv_2num(SV* sv)
```

Unicode Support

find_uninit_var

Find the name of the undefined variable (if any) that caused the operator `o` to issue a "Use of uninitialized value" warning. If `match` is true, only return a name if its value matches `uninit_sv`. So roughly speaking, if a unary operator (such as `OP_COS`) generates a warning, then following the direct child of the op may yield an `OP_PADSV` or `OP_GV` that gives the name of the undefined variable. On the other hand, with `OP_ADD` there are two branches to follow, so we only print the variable name if we get an exact match.

The name is returned as a mortal SV.

Assumes that `PL_op` is the op that originally triggered the error, and that `PL_comppad/PL_curpad` points to the currently executing pad.

```
SV* find_uninit_var(OP* obase, SV* uninit_sv, bool top)
```

report_uninit

Print appropriate "Use of uninitialized variable" warning

```
void report_uninit(SV* uninit_sv)
```

AUTHORS

The autodocumentation system was originally added to the Perl core by Benjamin Stuhl. Documentation is by whoever was kind enough to document their functions.

SEE ALSO

perlguts(1), perlapi(1)