

**NAME**

perlfreebsd - Perl version 5 on FreeBSD systems

**DESCRIPTION**

This document describes various features of FreeBSD that will affect how Perl version 5 (hereafter just Perl) is compiled and/or runs.

**FreeBSD core dumps from readdir\_r with ithreads**

When perl is configured to use ithreads, it will use re-entrant library calls in preference to non-re-entrant versions. There is a bug in FreeBSD's `readdir_r` function in versions 4.5 and earlier that can cause a SEGV when reading large directories. A patch for FreeBSD libc is available (see <http://www.freebsd.org/cgi/query-pr.cgi?pr=misc/30631> ) which has been integrated into FreeBSD 4.6.

**\$^X doesn't always contain a full path in FreeBSD**

perl sets `$^X` where possible to a full path by asking the operating system. On FreeBSD the full path of the perl interpreter is found by using `sysctl` with `KERN_PROC_PATHNAME` if that is supported, else by reading the symlink `/proc/curproc/file`. FreeBSD 7 and earlier has a bug where either approach sometimes returns an incorrect value (see <http://www.freebsd.org/cgi/query-pr.cgi?pr=35703> ). In these cases perl will fall back to the old behaviour of using C's `argv[0]` value for `$^X`.

**AUTHOR**

Nicholas Clark <[nick@ccl4.org](mailto:nick@ccl4.org)>, collating wisdom supplied by Slaven Rezic and Tim Bunce.

Please report any errors, updates, or suggestions to [perlbug@perl.org](mailto:perlbug@perl.org).